

NIST IR 8477-Based Set Theory Relationship Mapping (STRM)

Reference Document: Secure Controls Framework (SCF) version 2026.2

STRM Guidance: <https://securecontrolsframework.com/start-here/set-theory-relationship-mapping-strm/>

Focal Document: **MITRE Adversarial Tactics, Techniques, and Common Knowledge (ATT&CK) - NIST 800 - 53 mappings**

Focal Document URL: <https://center-for-threat-informed-defense.github.io/mappings-explorer/external/nist/>

Published STRM URL: <https://content.securecontrolsframework.com/strm/scf-strm-general-mitre-att-ck-16-1.pdf>

FDE #	FDE Name	Focal Document Element (FDE) Description	STRM Rationale	STRM Relationship	SCF Control	SCF #	Secure Controls Framework (SCF) Control Description	Strength of Relationship	Notes
T1001	Data Obfuscation	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	3	
T1001	Data Obfuscation	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls Oversight	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive leadership.	3	
T1001	Data Obfuscation	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antimalware technologies to detect and eradicate malicious code.	3	
T1001	Data Obfuscation	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1001	Data Obfuscation	See FDE for description.	Functional	Intersects With	Boundary Protection	NET-03	Mechanisms exist to monitor and control communications at the external network boundary and at key internal boundaries within the network.	3	
T1001	Data Obfuscation	See FDE for description.	Functional	Intersects With	Data Flow Enforcement – Access Control Lists (ACLs)	NET-04	Mechanisms exist to implement and govern Access Control Lists (ACLs) to provide data flow enforcement that explicitly restrict network traffic to only what is authorized.	3	
T1001.001	Junk Data	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	3	
T1001.001	Junk Data	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls Oversight	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive leadership.	3	
T1001.001	Junk Data	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antimalware technologies to detect and eradicate malicious code.	3	
T1001.001	Junk Data	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1001.001	Junk Data	See FDE for description.	Functional	Intersects With	Boundary Protection	NET-03	Mechanisms exist to monitor and control communications at the external network boundary and at key internal boundaries within the network.	3	
T1001.001	Junk Data	See FDE for description.	Functional	Intersects With	Data Flow Enforcement – Access Control Lists (ACLs)	NET-04	Mechanisms exist to implement and govern Access Control Lists (ACLs) to provide data flow enforcement that explicitly restrict network traffic to only what is authorized.	3	
T1001.002	Steganography	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	3	
T1001.002	Steganography	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls Oversight	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive leadership.	3	
T1001.002	Steganography	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antimalware technologies to detect and eradicate malicious code.	3	
T1001.002	Steganography	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1001.002	Steganography	See FDE for description.	Functional	Intersects With	Boundary Protection	NET-03	Mechanisms exist to monitor and control communications at the external network boundary and at key internal boundaries within the network.	3	
T1001.002	Steganography	See FDE for description.	Functional	Intersects With	Data Flow Enforcement – Access Control Lists (ACLs)	NET-04	Mechanisms exist to implement and govern Access Control Lists (ACLs) to provide data flow enforcement that explicitly restrict network traffic to only what is authorized.	3	
T1001.003	Protocol or Service Impersonation	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	3	
T1001.003	Protocol or Service Impersonation	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls Oversight	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive leadership.	3	
T1001.003	Protocol or Service Impersonation	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antimalware technologies to detect and eradicate malicious code.	3	
T1001.003	Protocol or Service Impersonation	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1001.003	Protocol or Service Impersonation	See FDE for description.	Functional	Intersects With	Boundary Protection	NET-03	Mechanisms exist to monitor and control communications at the external network boundary and at key internal boundaries within the network.	3	
T1001.003	Protocol or Service Impersonation	See FDE for description.	Functional	Intersects With	Data Flow Enforcement – Access Control Lists (ACLs)	NET-04	Mechanisms exist to implement and govern Access Control Lists (ACLs) to provide data flow enforcement that explicitly restrict network traffic to only what is authorized.	3	
T1003	OS Credential Dumping	See FDE for description.	Functional	Intersects With	Data Backups	BCD-11	Mechanisms exist to create recurring backups of data, software and/or system images, as well as verify the integrity of these backups, to ensure the availability of the data to satisfy Recovery Time Objectives (RTO).	3	
T1003	OS Credential Dumping	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	3	
T1003	OS Credential Dumping	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports, protocols, and/or services.	3	
T1003	OS Credential Dumping	See FDE for description.	Functional	Intersects With	Access Restriction For Change	CHG-04	Mechanisms exist to enforce configuration restrictions in an effort to restrict the ability of users to conduct unauthorized changes.	3	
T1003	OS Credential Dumping	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls Oversight	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive leadership.	3	
T1003	OS Credential Dumping	See FDE for description.	Functional	Intersects With	Encrypting Data At Rest	CRY-05	Cryptographic mechanisms exist to prevent unauthorized disclosure of data at rest.	3	
T1003	OS Credential Dumping	See FDE for description.	Functional	Intersects With	Cybersecurity & Data Protection Attributes	DCH-05	Mechanisms exist to bind cybersecurity and data protection attributes to information as it is stored, transmitted and processed.	3	
T1003	OS Credential Dumping	See FDE for description.	Functional	Intersects With	Media & Data Retention	DCH-18	Mechanisms exist to retain media and data in accordance with applicable statutory, regulatory and contractual obligations.	3	
T1003	OS Credential Dumping	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antimalware technologies to detect and eradicate malicious code.	3	
T1003	OS Credential Dumping	See FDE for description.	Functional	Intersects With	Endpoint File Integrity Monitoring (FIM)	END-06	Mechanisms exist to utilize File Integrity Monitor (FIM), or similar technologies, to detect and report on unauthorized changes to selected files and configuration settings.	3	
T1003	OS Credential Dumping	See FDE for description.	Functional	Intersects With	Separation of Duties (SoD)	HRS-11	Mechanisms exist to implement and maintain Separation of Duties (SoD) to prevent potential inappropriate activity without collusion.	3	
T1003	OS Credential Dumping	See FDE for description.	Functional	Intersects With	Identification & Authentication for Communications	IAC-02	Mechanisms exist to uniquely identify and certify individuals, devices, and/or systems. (1) Authenticate and authorize (AAA) organizational users and processes acting on their behalf.	3	
T1003	OS Credential Dumping	See FDE for description.	Functional	Intersects With	Identifier Management (User Names)	IAC-09	Mechanisms exist to govern naming standards for usernames and Technology Assets, Applications and/or Services (TAAS).	3	
T1003	OS Credential Dumping	See FDE for description.	Functional	Intersects With	Authenticator Management	IAC-10	Mechanisms exist to (1) Securely manage authenticators for users and devices; and (2) Ensure the strength of authentication is appropriate to the risk.	3	

NIST IR 8477-Based Set Theory Relationship Mapping (STRM)

Reference Document: Secure Controls Framework (SCF) version 2026.2

STRM Guidance: <https://securecontrolsframework.com/start-here/set-theory-relationship-mapping-strm/>

Focal Document: MITRE Adversarial Tactics, Techniques, and Common Knowledge (ATT&CK) - NIST 800 - 53 mappings

Focal Document URL: <https://center-for-threat-informed-defense.github.io/mappings-explorer/external/nist/>

Published STRM URL: <https://content.securecontrolsframework.com/strm/scf-strm-general-mitre-att-ck-16-1.pdf>

FDE #	FDE Name	Focal Document Element (FDE) Description	STRM Rationale	STRM Relationship	SCF Control	SCF #	Secure Controls Framework (SCF) Control Description	Strength of Relationship	Notes
T1003	OS Credential Dumping	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types; (2) Define prohibited system account types; and	3	
T1003	OS Credential Dumping	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1003	OS Credential Dumping	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned tasks in accordance with organizational business functions.	3	
T1003	OS Credential Dumping	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1003	OS Credential Dumping	See FDE for description.	Functional	Intersects With	Data Flow Enforcement - Access Control Lists	NET-04	Mechanisms exist to implement and govern access control lists (ACLs) to provide data flow enforcement that explicitly restrict network traffic to only what is authorized.	3	
T1003	OS Credential Dumping	See FDE for description.	Functional	Intersects With	Process Isolation	SEA-04	Mechanisms exist to implement a separate execution domain for each executing process.	3	
T1003	OS Credential Dumping	See FDE for description.	Functional	Intersects With	Software & Firmware Patching	VPM-05	Mechanisms exist to conduct software patching for all deployed Technology Assets, Applications and/or Services (TAAS), including	3	
T1003.001	LSASS Memory	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	3	
T1003.001	LSASS Memory	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports, protocols, and/or services.	3	
T1003.001	LSASS Memory	See FDE for description.	Functional	Intersects With	Access Restriction For Change	CHG-04	Mechanisms exist to enforce configuration restrictions in an effort to restrict the ability of users to conduct unauthorized changes.	3	
T1003.001	LSASS Memory	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive	3	
T1003.001	LSASS Memory	See FDE for description.	Functional	Intersects With	Encrypting Data At Rest	CRY-05	Cryptographic mechanisms exist to prevent unauthorized disclosure of data at rest.	3	
T1003.001	LSASS Memory	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antim malware technologies to detect and eradicate malicious code.	3	
T1003.001	LSASS Memory	See FDE for description.	Functional	Intersects With	Separation of Duties (SoD)	HRS-11	Mechanisms exist to implement and maintain Separation of Duties (SoD) to prevent potential inappropriate activity without collusion.	3	
T1003.001	LSASS Memory	See FDE for description.	Functional	Intersects With	Identification & Authentication for Organizational Users	IAC-02	Mechanisms exist to uniquely identify and centrally Authenticate, Authorize and Audit (AAA) organizational users and processes acting on behalf of organizational users.	3	
T1003.001	LSASS Memory	See FDE for description.	Functional	Intersects With	Authenticator Management	IAC-10	Mechanisms exist to: (1) Securely manage authenticators for users and devices; and	3	
T1003.001	LSASS Memory	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	(2) Define authorized system account types; (2) Define prohibited system account types; and	3	
T1003.001	LSASS Memory	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1003.001	LSASS Memory	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned tasks in accordance with organizational business functions.	3	
T1003.001	LSASS Memory	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1003.001	LSASS Memory	See FDE for description.	Functional	Intersects With	Data Flow Enforcement - Access Control Lists (ACLs)	NET-04	Mechanisms exist to implement and govern Access Control Lists (ACLs) to provide data flow enforcement that explicitly restrict network traffic to only what is authorized.	3	
T1003.001	LSASS Memory	See FDE for description.	Functional	Intersects With	Process Isolation	SEA-04	Mechanisms exist to implement a separate execution domain for each executing process.	3	
T1003.001	LSASS Memory	See FDE for description.	Functional	Intersects With	Security Function Isolation	SEA-04.1	Mechanisms exist to isolate security functions from non-security functions.	3	
T1003.001	LSASS Memory	See FDE for description.	Functional	Intersects With	Memory Protection	SEA-10	Mechanisms exist to implement security safeguards to protect system memory from unauthorized code execution.	3	
T1003.001	LSASS Memory	See FDE for description.	Functional	Intersects With	Software & Firmware Patching	VPM-05	Mechanisms exist to conduct software patching for all deployed Technology Assets, Applications and/or Services (TAAS), including firmware.	3	
T1003.002	Security Account Manager	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services	3	
T1003.002	Security Account Manager	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports, protocols, and/or services.	3	
T1003.002	Security Account Manager	See FDE for description.	Functional	Intersects With	Access Restriction For Change	CHG-04	Mechanisms exist to enforce configuration restrictions in an effort to restrict the ability of users to conduct unauthorized changes.	3	
T1003.002	Security Account Manager	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive	3	
T1003.002	Security Account Manager	See FDE for description.	Functional	Intersects With	Encrypting Data At Rest	CRY-05	Cryptographic mechanisms exist to prevent unauthorized disclosure of data at rest.	3	
T1003.002	Security Account Manager	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antim malware technologies to detect and eradicate malicious code.	3	
T1003.002	Security Account Manager	See FDE for description.	Functional	Intersects With	Separation of Duties (SoD)	HRS-11	Mechanisms exist to implement and maintain Separation of Duties (SoD) to prevent potential inappropriate activity without collusion.	3	
T1003.002	Security Account Manager	See FDE for description.	Functional	Intersects With	Identification & Authentication for Organizational Users	IAC-02	Mechanisms exist to uniquely identify and centrally Authenticate, Authorize and Audit (AAA) organizational users and processes acting on behalf of organizational users.	3	
T1003.002	Security Account Manager	See FDE for description.	Functional	Intersects With	Authenticator Management	IAC-10	Mechanisms exist to: (1) Securely manage authenticators for users and devices; and	3	
T1003.002	Security Account Manager	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	(2) Ensure the strength of authentication is appropriate to the	3	
T1003.002	Security Account Manager	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1003.002	Security Account Manager	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned	3	
T1003.002	Security Account Manager	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1003.002	Security Account Manager	See FDE for description.	Functional	Intersects With	Process Isolation	SEA-04	Mechanisms exist to implement a separate execution domain for each executing process.	3	
T1003.003	NTDS	See FDE for description.	Functional	Intersects With	Data Backups	BCD-11	Mechanisms exist to create recurring backups of data, software and/or system images, as well as verify the integrity of these backups, to ensure the availability of the data to satisfy Recovery Time Objectives	3	
T1003.003	NTDS	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services	3	
T1003.003	NTDS	See FDE for description.	Functional	Intersects With	Access Restriction For Change	CHG-04	Mechanisms exist to enforce configuration restrictions in an effort to restrict the ability of users to conduct unauthorized changes.	3	
T1003.003	NTDS	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive	3	

NIST IR 8477-Based Set Theory Relationship Mapping (STRM)

Reference Document: Secure Controls Framework (SCF) version 2026.2

STRM Guidance: <https://securecontrolsframework.com/start-here/set-theory-relationship-mapping-strm/>

Focal Document: **MITRE Adversarial Tactics, Techniques, and Common Knowledge (ATT&CK) - NIST 800 - 53 mappings**

Focal Document URL: <https://center-for-threat-informed-defense.github.io/mappings-explorer/external/nist/>

Published STRM URL: <https://content.securecontrolsframework.com/strm/scf-strm-general-mitre-att-ck-16-1.pdf>

FDE #	FDE Name	Focal Document Element (FDE) Description	STRM Rationale	STRM Relationship	SCF Control	SCF #	Secure Controls Framework (SCF) Control Description	Strength of Relationship	Notes
T1003.003	NTDS	See FDE for description.	Functional	Intersects With	Encrypting Data At Rest	CRY-05	Cryptographic mechanisms exist to prevent unauthorized disclosure of data at rest.	3	
T1003.003	NTDS	See FDE for description.	Functional	Intersects With	Cybersecurity & Data Protection Attributes	DCH-05	Mechanisms exist to bind cybersecurity and data protection attributes to information as it is stored, transmitted and processed.	3	
T1003.003	NTDS	See FDE for description.	Functional	Intersects With	Media & Data Retention	DCH-18	Mechanisms exist to retain media and data in accordance with applicable statutory, regulatory and contractual obligations.	3	
T1003.003	NTDS	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antimalware technologies to detect and eradicate malicious code.	3	
T1003.003	NTDS	See FDE for description.	Functional	Intersects With	Endpoint File Integrity Monitoring (FIM)	END-06	Mechanisms exist to utilize File Integrity Monitor (FIM), or similar technologies, to detect and report on unauthorized changes to selected files and configuration settings.	3	
T1003.003	NTDS	See FDE for description.	Functional	Intersects With	Separation of Duties (SoD)	HRS-11	Mechanisms exist to implement and maintain Separation of Duties (SoD) to prevent potential inappropriate activity without collusion.	3	
T1003.003	NTDS	See FDE for description.	Functional	Intersects With	Identification & Authentication for Communications	IAC-02	Mechanisms exist to uniquely identify and centrally Authenticate, Authorize and Audit (AAA) organizational users and processes acting on	3	
T1003.003	NTDS	See FDE for description.	Functional	Intersects With	Authenticator Management	IAC-10	Mechanisms exist to: (1) Securely manage authenticators for users and devices; and (2) Ensure the strength of authentication is appropriate to the	3	
T1003.003	NTDS	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types;	3	
T1003.003	NTDS	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1003.003	NTDS	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned	3	
T1003.003	NTDS	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1003.003	NTDS	See FDE for description.	Functional	Intersects With	Process Isolation	SEA-04	Mechanisms exist to implement a separate execution domain for each executing process.	3	
T1003.004	LSA Secrets	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services	3	
T1003.004	LSA Secrets	See FDE for description.	Functional	Intersects With	Access Restriction For Change	CHG-04	Mechanisms exist to enforce configuration restrictions in an effort to restrict the ability of users to conduct unauthorized changes.	3	
T1003.004	LSA Secrets	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive	3	
T1003.004	LSA Secrets	See FDE for description.	Functional	Intersects With	Encrypting Data At Rest	CRY-05	Cryptographic mechanisms exist to prevent unauthorized disclosure of data at rest.	3	
T1003.004	LSA Secrets	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antimalware technologies to detect and eradicate malicious code.	3	
T1003.004	LSA Secrets	See FDE for description.	Functional	Intersects With	Separation of Duties (SoD)	HRS-11	Mechanisms exist to implement and maintain Separation of Duties (SoD) to prevent potential inappropriate activity without collusion.	3	
T1003.004	LSA Secrets	See FDE for description.	Functional	Intersects With	Identification & Authentication for Communications	IAC-02	Mechanisms exist to uniquely identify and centrally Authenticate, Authorize and Audit (AAA) organizational users and processes acting on	3	
T1003.004	LSA Secrets	See FDE for description.	Functional	Intersects With	Authenticator Management	IAC-10	Mechanisms exist to: (1) Securely manage authenticators for users and devices; and	3	
T1003.004	LSA Secrets	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types; (2) Define prohibited system account types; and (3) Proactively govern individual, group, system, service, application,	3	
T1003.004	LSA Secrets	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1003.004	LSA Secrets	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned	3	
T1003.004	LSA Secrets	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1003.004	LSA Secrets	See FDE for description.	Functional	Intersects With	Process Isolation	SEA-04	Mechanisms exist to implement a separate execution domain for each executing process.	3	
T1003.005	Cached Domain Credentials	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening	3	
T1003.005	Cached Domain Credentials	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports,	3	
T1003.005	Cached Domain Credentials	See FDE for description.	Functional	Intersects With	Access Restriction For Change	CHG-04	Mechanisms exist to enforce configuration restrictions in an effort to restrict the ability of users to conduct unauthorized changes.	3	
T1003.005	Cached Domain Credentials	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive	3	
T1003.005	Cached Domain Credentials	See FDE for description.	Functional	Intersects With	Encrypting Data At Rest	CRY-05	Cryptographic mechanisms exist to prevent unauthorized disclosure of data at rest.	3	
T1003.005	Cached Domain Credentials	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antimalware technologies to detect and eradicate malicious code.	3	
T1003.005	Cached Domain Credentials	See FDE for description.	Functional	Intersects With	Separation of Duties (SoD)	HRS-11	Mechanisms exist to implement and maintain Separation of Duties (SoD) to prevent potential inappropriate activity without collusion.	3	
T1003.005	Cached Domain Credentials	See FDE for description.	Functional	Intersects With	Identification & Authentication for Communications	IAC-02	Mechanisms exist to uniquely identify and centrally Authenticate, Authorize and Audit (AAA) organizational users and processes acting on	3	
T1003.005	Cached Domain Credentials	See FDE for description.	Functional	Intersects With	Identifier Management (User Names)	IAC-09	Mechanisms exist to govern naming standards for usernames and Technology Assets, Applications and/or Services (TAAS).	3	
T1003.005	Cached Domain Credentials	See FDE for description.	Functional	Intersects With	Authenticator Management	IAC-10	Mechanisms exist to: (1) Securely manage authenticators for users and devices; and (2) Ensure the strength of authentication is appropriate to the classification of the data being accessed.	3	
T1003.005	Cached Domain Credentials	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types; (2) Define prohibited system account types; and (3) Proactively govern individual, group, system, service, application,	3	
T1003.005	Cached Domain Credentials	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1003.005	Cached Domain Credentials	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned	3	
T1003.005	Cached Domain Credentials	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1003.005	Cached Domain Credentials	See FDE for description.	Functional	Intersects With	Data Flow Enforcement - Access Control Lists (ACLs)	NET-04	Mechanisms exist to implement and govern access control lists (ACLs) to provide data flow enforcement that explicitly restrict network	3	
T1003.005	Cached Domain Credentials	See FDE for description.	Functional	Intersects With	Process Isolation	SEA-04	Mechanisms exist to implement a separate execution domain for each executing process.	3	
T1003.006	DCSync	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services	3	

NIST IR 8477-Based Set Theory Relationship Mapping (STRM)

Reference Document: Secure Controls Framework (SCF) version 2026.2

STRM Guidance: <https://securecontrolsframework.com/start-here/set-theory-relationship-mapping-strm/>

Focal Document: MITRE Adversarial Tactics, Techniques, and Common Knowledge (ATT&CK) - NIST 800 - 53 mappings

Focal Document URL: <https://center-for-threat-informed-defense.github.io/mappings-explorer/external/nist/>

Published STRM URL: <https://content.securecontrolsframework.com/strm/scf-strm-general-mitre-att-ck-16-1.pdf>

FDE #	FDE Name	Focal Document Element (FDE) Description	STRM Rationale	STRM Relationship	SCF Control	SCF #	Secure Controls Framework (SCF) Control Description	Strength of Relationship	Notes
T1003.006	DCSync	See FDE for description.	Functional	Intersects With	Access Restriction For Change	CHG-04	Mechanisms exist to enforce configuration restrictions in an effort to restrict the ability of users to conduct unauthorized changes.	3	
T1003.006	DCSync	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive	3	
T1003.006	DCSync	See FDE for description.	Functional	Intersects With	Encrypting Data At Rest	CRY-05	Cryptographic mechanisms exist to prevent unauthorized disclosure of data at rest.	3	
T1003.006	DCSync	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antimalware technologies to detect and eradicate malicious code.	3	
T1003.006	DCSync	See FDE for description.	Functional	Intersects With	Separation of Duties (SoD)	HRS-11	Mechanisms exist to implement and maintain Separation of Duties (SoD) to prevent potential inappropriate activity without collusion.	3	
T1003.006	DCSync	See FDE for description.	Functional	Intersects With	Identification & Authentication for Organizational Users	IAC-02	Mechanisms exist to uniquely identify and centrally Authenticate, Authorize and Audit (AAA) organizational users and processes acting on behalf of organizational users.	3	
T1003.006	DCSync	See FDE for description.	Functional	Intersects With	Identifier Management (User Names)	IAC-09	Mechanisms exist to govern naming standards for usernames and Technology Assets, Applications and/or Services (TAAS).	3	
T1003.006	DCSync	See FDE for description.	Functional	Intersects With	Authenticator Management	IAC-10	Mechanisms exist to: (1) Securely manage authenticators for users and devices; and (2) Ensure the strength of authentication is appropriate to the	3	
T1003.006	DCSync	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types;	3	
T1003.006	DCSync	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1003.006	DCSync	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned tasks in accordance with organizational business functions.	3	
T1003.006	DCSync	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1003.006	DCSync	See FDE for description.	Functional	Intersects With	Data Flow Enforcement - Access Control Lists (ACLs)	NET-04	Mechanisms exist to implement and govern Access Control Lists (ACLs) to provide data flow enforcement that explicitly restrict network traffic to only what is authorized.	3	
T1003.006	DCSync	See FDE for description.	Functional	Intersects With	Process Isolation	SEA-04	Mechanisms exist to implement a separate execution domain for each executing process.	3	
T1003.007	Proc Filesystem	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening	3	
T1003.007	Proc Filesystem	See FDE for description.	Functional	Intersects With	Access Restriction For Change	CHG-04	Mechanisms exist to enforce configuration restrictions in an effort to restrict the ability of users to conduct unauthorized changes.	3	
T1003.007	Proc Filesystem	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls Oversight	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive leadership.	3	
T1003.007	Proc Filesystem	See FDE for description.	Functional	Intersects With	Encrypting Data At Rest	CRY-05	Cryptographic mechanisms exist to prevent unauthorized disclosure of data at rest.	3	
T1003.007	Proc Filesystem	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antimalware technologies to detect and eradicate malicious code.	3	
T1003.007	Proc Filesystem	See FDE for description.	Functional	Intersects With	Separation of Duties (SoD)	HRS-11	Mechanisms exist to implement and maintain Separation of Duties (SoD) to prevent potential inappropriate activity without collusion.	3	
T1003.007	Proc Filesystem	See FDE for description.	Functional	Intersects With	Identification & Authentication for Organizational Users	IAC-02	Mechanisms exist to uniquely identify and centrally Authenticate, Authorize and Audit (AAA) organizational users and processes acting on	3	
T1003.007	Proc Filesystem	See FDE for description.	Functional	Intersects With	Authenticator Management	IAC-10	Mechanisms exist to: (1) Securely manage authenticators for users and devices; and (2) Ensure the strength of authentication is appropriate to the classification of the data being accessed.	3	
T1003.007	Proc Filesystem	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types;	3	
T1003.007	Proc Filesystem	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1003.007	Proc Filesystem	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned	3	
T1003.007	Proc Filesystem	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1003.007	Proc Filesystem	See FDE for description.	Functional	Intersects With	Process Isolation	SEA-04	Mechanisms exist to implement a separate execution domain for each executing process.	3	
T1003.008	/etc/passwd and /etc/shadow	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services	3	
T1003.008	/etc/passwd and /etc/shadow	See FDE for description.	Functional	Intersects With	Access Restriction For Change	CHG-04	Mechanisms exist to enforce configuration restrictions in an effort to restrict the ability of users to conduct unauthorized changes.	3	
T1003.008	/etc/passwd and /etc/shadow	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls Oversight	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive	3	
T1003.008	/etc/passwd and /etc/shadow	See FDE for description.	Functional	Intersects With	Encrypting Data At Rest	CRY-05	Cryptographic mechanisms exist to prevent unauthorized disclosure of data at rest.	3	
T1003.008	/etc/passwd and /etc/shadow	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antimalware technologies to detect and eradicate malicious code.	3	
T1003.008	/etc/passwd and /etc/shadow	See FDE for description.	Functional	Intersects With	Separation of Duties (SoD)	HRS-11	Mechanisms exist to implement and maintain Separation of Duties (SoD) to prevent potential inappropriate activity without collusion.	3	
T1003.008	/etc/passwd and /etc/shadow	See FDE for description.	Functional	Intersects With	Identification & Authentication for Organizational Users	IAC-02	Mechanisms exist to uniquely identify and centrally Authenticate, Authorize and Audit (AAA) organizational users and processes acting on	3	
T1003.008	/etc/passwd and /etc/shadow	See FDE for description.	Functional	Intersects With	Authenticator Management	IAC-10	Mechanisms exist to: (1) Securely manage authenticators for users and devices; and (2) Ensure the strength of authentication is appropriate to the	3	
T1003.008	/etc/passwd and /etc/shadow	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types;	3	
T1003.008	/etc/passwd and /etc/shadow	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1003.008	/etc/passwd and /etc/shadow	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned	3	
T1003.008	/etc/passwd and /etc/shadow	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1003.008	/etc/passwd and /etc/shadow	See FDE for description.	Functional	Intersects With	Process Isolation	SEA-04	Mechanisms exist to implement a separate execution domain for each executing process.	3	
T1005	Data from Local System	See FDE for description.	Functional	Intersects With	Data Backups	BCD-11	Mechanisms exist to create recurring backups of data, software and/or system images, as well as verify the integrity of these backups, to ensure the availability of the data to satisfy Recovery Time Objectives (RTOs) and Recovery Point Objectives (RPOs).	3	
T1005	Data from Local System	See FDE for description.	Functional	Intersects With	Use of Cryptographic Controls	CRY-01	Mechanisms exist to ensure the implementation of cryptographic protections controls using known public standards and trusted	3	
T1005	Data from Local System	See FDE for description.	Functional	Intersects With	Encrypting Data At Rest	CRY-05	Cryptographic mechanisms exist to prevent unauthorized disclosure of data at rest.	3	

NIST IR 8477-Based Set Theory Relationship Mapping (STRM)

Reference Document: Secure Controls Framework (SCF) version 2026.2

STRM Guidance: <https://securecontrolsframework.com/start-here/set-theory-relationship-mapping-strm/>

Focal Document: MITRE Adversarial Tactics, Techniques, and Common Knowledge (ATT&CK) - NIST 800 - 53 mappings

Focal Document URL: <https://center-for-threat-informed-defense.github.io/mappings-explorer/external/nist/>

Published STRM URL: https://content.securecontrolsframework.com/strm/scf-strm-general-mitre-att_ck-16-1.pdf

FDE #	FDE Name	Focal Document Element (FDE) Description	STRM Rationale	STRM Relationship	SCF Control	SCF #	Secure Controls Framework (SCF) Control Description	Strength of Relationship	Notes
T1005	Data from Local System	See FDE for description.	Functional	Intersects With	Cybersecurity & Data Protection Attributes	DCH-05	Mechanisms exist to bind cybersecurity and data protection attributes to information as it is stored, transmitted and processed.	3	
T1005	Data from Local System	See FDE for description.	Functional	Intersects With	Data Mining Protection	DCH-16	Mechanisms exist to protect data storage objects against unauthorized data mining and data harvesting techniques.	3	
T1005	Data from Local System	See FDE for description.	Functional	Intersects With	Information Location	DCH-24	Mechanisms exist to identify and document the location of information and the specific system components on which the information resides.	3	
T1005	Data from Local System	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antim malware technologies to detect and eradicate malicious code.	3	
T1005	Data from Local System	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types;	3	
T1005	Data from Local System	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1005	Data from Local System	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned	3	
T1005	Data from Local System	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1005	Data from Local System	See FDE for description.	Functional	Intersects With	Operations Security	OPS-01	Mechanisms exist to facilitate the implementation of operational security controls.	3	
T1005	Data from Local System	See FDE for description.	Functional	Intersects With	Secure Engineering Principles	SEA-01	Mechanisms exist to facilitate the implementation of industry-recognized security, compliance and resilience practices in the	3	
T1008	Fallback Channels	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	3	
T1008	Fallback Channels	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports, protocols, and/or services.	3	
T1008	Fallback Channels	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive	3	
T1008	Fallback Channels	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antim malware technologies to detect and eradicate malicious code.	3	
T1008	Fallback Channels	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1008	Fallback Channels	See FDE for description.	Functional	Intersects With	Boundary Protection	NET-03	Mechanisms exist to monitor and control communications at the external network boundary and at key internal boundaries within the network.	3	
T1008	Fallback Channels	See FDE for description.	Functional	Intersects With	Data Flow Enforcement – Access Control Lists (ACLs)	NET-04	Mechanisms exist to implement and govern Access Control Lists (ACLs) to provide data flow enforcement that explicitly restrict network traffic to only what is authorized.	3	
T1011	Exfiltration Over Other Network Medium	See FDE for description.	Functional	Intersects With	Usage Parameters	AST-14	Mechanisms exist to monitor and enforce usage parameters that limit the potential damage caused from the unauthorized or unintentional alteration of system parameters.	3	
T1011	Exfiltration Over Other Network Medium	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	3	
T1011	Exfiltration Over Other Network Medium	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports, protocols, and/or services.	3	
T1011	Exfiltration Over Other Network Medium	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1011	Exfiltration Over Other Network Medium	See FDE for description.	Functional	Intersects With	Wireless Networking	NET-15	Mechanisms exist to control authorized wireless usage and monitor for unauthorized wireless access.	3	
T1011.001	Exfiltration Over Bluetooth	See FDE for description.	Functional	Intersects With	Asset Inventories	AST-02	Mechanisms exist to perform inventories of technology Assets, Applications, Services and/or Data (TAASD) that: (1) Accurately reflects the current TAASD in use; (2) Identifies authorized software products, including business justification details;	3	
T1011.001	Exfiltration Over Bluetooth	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	3	
T1011.001	Exfiltration Over Bluetooth	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports, protocols, and/or services.	3	
T1011.001	Exfiltration Over Bluetooth	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antim malware technologies to detect and eradicate malicious code.	3	
T1011.001	Exfiltration Over Bluetooth	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1011.001	Exfiltration Over Bluetooth	See FDE for description.	Functional	Intersects With	Wireless Networking	NET-15	Mechanisms exist to control authorized wireless usage and monitor for unauthorized wireless access.	3	
T1011.001	Exfiltration Over Bluetooth	See FDE for description.	Functional	Intersects With	Vulnerability Scanning	VPM-06	Mechanisms exist to detect vulnerabilities and configuration errors by routine vulnerability scanning of systems and applications.	3	
T1016.002	Wi-Fi Discovery	See FDE for description.	Functional	No Relationship	N/A	N/A	N/A	0	
T1020.001	Traffic Duplication	See FDE for description.	Functional	Intersects With	Asset Inventories	AST-02	Mechanisms exist to perform inventories of technology Assets, Applications, Services and/or Data (TAASD) that: (1) Accurately reflects the current TAASD in use;	3	
T1020.001	Traffic Duplication	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	3	
T1020.001	Traffic Duplication	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports, protocols, and/or services.	3	
T1020.001	Traffic Duplication	See FDE for description.	Functional	Intersects With	Access Restriction For Change	CHG-04	Mechanisms exist to enforce configuration restrictions in an effort to restrict the ability of users to conduct unauthorized changes.	3	
T1020.001	Traffic Duplication	See FDE for description.	Functional	Intersects With	Transmission Confidentiality	CRY-03	Cryptographic mechanisms exist to protect the confidentiality of data being transmitted.	3	
T1020.001	Traffic Duplication	See FDE for description.	Functional	Intersects With	Transmission Integrity	CRY-04	Cryptographic mechanisms exist to protect the integrity of data being transmitted.	3	
T1020.001	Traffic Duplication	See FDE for description.	Functional	Intersects With	Cybersecurity & Data Protection Attributes	DCH-05	Mechanisms exist to bind cybersecurity and data protection attributes to information as it is stored, transmitted and processed.	3	
T1020.001	Traffic Duplication	See FDE for description.	Functional	Intersects With	Use of External Technology Assets, Applications and/or Services (TAAS)	DCH-13	Mechanisms exist to govern how external parties, including Technology Assets, Applications and/or Services (TAAS), are used to securely store, process and transmit data.	3	

NIST IR 8477-Based Set Theory Relationship Mapping (STRM)

Reference Document: Secure Controls Framework (SCF) version 2026.2

STRM Guidance: <https://securecontrolsframework.com/start-here/set-theory-relationship-mapping-strm/>

Focal Document: MITRE Adversarial Tactics, Techniques, and Common Knowledge (ATT&CK) - NIST 800 - 53 mappings

Focal Document URL: <https://center-for-threat-informed-defense.github.io/mappings-explorer/external/mitre/>

Published STRM URL: https://content.securecontrolsframework.com/strm/scf-strm-general-mitre-att_ck-16-1.pdf

FDE #	FDE Name	Focal Document Element (FDE) Description	STRM Rationale	STRM Relationship	SCF Control	SCF #	Secure Controls Framework (SCF) Control Description	Strength of Relationship	Notes
T1020.001	Traffic Duplication	See FDE for description.	Functional	Intersects With	Media & Data Retention	DCH-18	Mechanisms exist to retain media and data in accordance with applicable statutory, regulatory and contractual obligations.	3	
T1020.001	Traffic Duplication	See FDE for description.	Functional	Intersects With	Endpoint File Integrity Monitoring (FIM)	END-06	Mechanisms exist to utilize File Integrity Monitor (FIM), or similar technologies, to detect and report on unauthorized changes to selected files and configuration settings.	3	
T1020.001	Traffic Duplication	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types; (2) Define prohibited system account types; and	3	
T1020.001	Traffic Duplication	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1020.001	Traffic Duplication	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to enforce the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned	3	
T1020.001	Traffic Duplication	See FDE for description.	Functional	Intersects With	Access Control For Mobile Devices	MDM-02	Mechanisms exist to enforce access control requirements for use connection of mobile devices to organizational Technology Assets,	3	
T1020.001	Traffic Duplication	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1020.001	Traffic Duplication	See FDE for description.	Functional	Intersects With	Boundary Protection	NET-03	Mechanisms exist to monitor and control communications at the external network boundary and at key internal boundaries within the network.	3	
T1020.001	Traffic Duplication	See FDE for description.	Functional	Intersects With	Data Flow Enforcement - Access Control Lists (ACLs)	NET-04	Mechanisms exist to implement and govern Access Control Lists (ACLs) to provide data flow enforcement that explicitly restrict network traffic to only what is authorized.	3	
T1020.001	Traffic Duplication	See FDE for description.	Functional	Intersects With	Interconnection Security Agreements (ISAs)	NET-05	Mechanisms exist to authorize connections from systems to other systems using Interconnection Security Agreements (ISAs), or similar methods, that document, for each interconnection: (1) Interface characteristics;	3	
T1020.001	Traffic Duplication	See FDE for description.	Functional	Intersects With	Remote Access	NET-14	Mechanisms exist to define, control and review organization-approved, secure remote access methods.	3	
T1020.001	Traffic Duplication	See FDE for description.	Functional	Intersects With	Wireless Networking	NET-15	Mechanisms exist to control authorized wireless usage and monitor for unauthorized wireless access.	3	
T1020.001	Traffic Duplication	See FDE for description.	Functional	Intersects With	Information In Shared Resources	SEA-05	Mechanisms exist to prevent unauthorized and unintended information transfer via shared system resources.	3	
T1021	Remote Services	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services	3	
T1021	Remote Services	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports,	3	
T1021	Remote Services	See FDE for description.	Functional	Intersects With	Access Restriction For Change	CHG-04	Mechanisms exist to enforce configuration restrictions in an effort to restrict the ability of users to conduct unauthorized changes.	3	
T1021	Remote Services	See FDE for description.	Functional	Intersects With	Use of External Technology Assets, Applications and/or Services (TAAS)	DCH-13	Mechanisms exist to govern how external parties, including Technology Assets, Applications and/or Services (TAAS), are used to securely store,	3	
T1021	Remote Services	See FDE for description.	Functional	Intersects With	Separation of Duties (SoD)	HRS-11	Mechanisms exist to implement and maintain Separation of Duties (SoD) to prevent potential inappropriate activity without collusion.	3	
T1021	Remote Services	See FDE for description.	Functional	Intersects With	Identification & Authentication for Organizational Users	IAC-02	Mechanisms exist to uniquely identify and centrally Authenticate, Authorize and Audit (AAA) organizational users and processes acting on behalf of organizational users.	3	
T1021	Remote Services	See FDE for description.	Functional	Intersects With	Authenticator Management	IAC-10	Mechanisms exist to: (1) Securely manage authenticators for users and devices; and	3	
T1021	Remote Services	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types; (2) Define prohibited system account types; and (3) Proactively govern individual, group, system, service, application,	3	
T1021	Remote Services	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1021	Remote Services	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned	3	
T1021	Remote Services	See FDE for description.	Functional	Intersects With	Account Lockout	IAC-22	Mechanisms exist to enforce a limit for consecutive invalid login attempts by a user during an organization-defined time period and automatically locks the account when the maximum number of	3	
T1021	Remote Services	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1021	Remote Services	See FDE for description.	Functional	Intersects With	Remote Access	NET-14	Mechanisms exist to define, control and review organization-approved, secure remote access methods.	3	
T1021.001	Remote Desktop Protocol	See FDE for description.	Functional	Intersects With	Asset Inventories	AST-02	Mechanisms exist to perform inventories of Technology Assets, Applications, Services and/or Data (TAASD) that:	3	
T1021.001	Remote Desktop Protocol	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services	3	
T1021.001	Remote Desktop Protocol	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports,	3	
T1021.001	Remote Desktop Protocol	See FDE for description.	Functional	Intersects With	Access Restriction For Change	CHG-04	Mechanisms exist to enforce configuration restrictions in an effort to restrict the ability of users to conduct unauthorized changes.	3	
T1021.001	Remote Desktop Protocol	See FDE for description.	Functional	Intersects With	Use of External Technology Assets, Applications and/or Services (TAAS)	DCH-13	Mechanisms exist to govern how external parties, including Technology Assets, Applications and/or Services (TAAS), are used to securely store, process and transmit data.	3	
T1021.001	Remote Desktop Protocol	See FDE for description.	Functional	Intersects With	Separation of Duties (SoD)	HRS-11	Mechanisms exist to implement and maintain Separation of Duties (SoD) to prevent potential inappropriate activity without collusion.	3	
T1021.001	Remote Desktop Protocol	See FDE for description.	Functional	Intersects With	Identification & Authentication for Organizational Users	IAC-02	Mechanisms exist to uniquely identify and centrally Authenticate, Authorize and Audit (AAA) organizational users and processes acting on	3	
T1021.001	Remote Desktop Protocol	See FDE for description.	Functional	Intersects With	Identifier Management (User Names)	IAC-09	Mechanisms exist to govern naming standards for usernames and Technology Assets, Applications and/or Services (TAAS).	3	
T1021.001	Remote Desktop Protocol	See FDE for description.	Functional	Intersects With	Authenticator Management	IAC-10	Mechanisms exist to: (1) Securely manage authenticators for users and devices; and	3	
T1021.001	Remote Desktop Protocol	See FDE for description.	Functional	Intersects With	Authenticator Feedback	IAC-11	Mechanisms exist to obscure the feedback of authentication information during the authentication process to protect the information from possible exploitation/use by unauthorized individuals.	3	
T1021.001	Remote Desktop Protocol	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types;	3	
T1021.001	Remote Desktop Protocol	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1021.001	Remote Desktop Protocol	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned	3	

NIST IR 8477-Based Set Theory Relationship Mapping (STRM)

Reference Document: Secure Controls Framework (SCF) version 2026.2

STRM Guidance: <https://securecontrolsframework.com/start-here/set-theory-relationship-mapping-strm/>

Focal Document: MITRE Adversarial Tactics, Techniques, and Common Knowledge (ATT&CK) - NIST 800 - 53 mappings

Focal Document URL: <https://center-for-threat-informed-defense.github.io/mappings-explorer/external/nist/>

Published STRM URL: https://content.securecontrolsframework.com/strm/scf-strm-general-mitre-att_ck-16-1.pdf

FDE #	FDE Name	Focal Document Element (FDE) Description	STRM Rationale	STRM Relationship	SCF Control	SCF #	Secure Controls Framework (SCF) Control Description	Strength of Relationship	Notes
T1021.001	Remote Desktop Protocol	See FDE for description.	Functional	Intersects With	Account Lockout	IAC-22	Mechanisms exist to enforce a limit for consecutive invalid login attempts by a user during an organization-defined time period and automatically locks the account when the maximum number of unsuccessful attempts is exceeded.	3	
T1021.001	Remote Desktop Protocol	See FDE for description.	Functional	Intersects With	Session Lock	IAC-24	Mechanisms exist to initiate a session lock after an organization-defined time period of inactivity, or upon receiving a request from a user and retain the session lock until the user reestablishes access using established identification and authentication methods.	3	
T1021.001	Remote Desktop Protocol	See FDE for description.	Functional	Intersects With	Session Termination	IAC-25	Automated mechanisms exist to log out users, both locally on the network and for remote sessions, at the end of the session or after an	3	
T1021.001	Remote Desktop Protocol	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1021.001	Remote Desktop Protocol	See FDE for description.	Functional	Intersects With	Cross Domain Solution (CDS)	NET-02.3	Mechanisms exist to implement a Cross Domain Solution (CDS) to mitigate the specific security risks of accessing or transferring information between security domains.	3	
T1021.001	Remote Desktop Protocol	See FDE for description.	Functional	Intersects With	Boundary Protection	NET-03	Mechanisms exist to monitor and control communications at the external network boundary and at key internal boundaries within the network.	3	
T1021.001	Remote Desktop Protocol	See FDE for description.	Functional	Intersects With	Data Flow Enforcement - Access Control Lists (ACLs)	NET-04	Mechanisms exist to implement and govern Access Control Lists (ACLs) to provide data flow enforcement that explicitly restrict network traffic to only what is authorized.	3	
T1021.001	Remote Desktop Protocol	See FDE for description.	Functional	Intersects With	Remote Access	NET-14	Mechanisms exist to define, control and review organization-approved, secure remote access methods.	3	
T1021.001	Remote Desktop Protocol	See FDE for description.	Functional	Intersects With	Vulnerability Scanning	VPM-06	Mechanisms exist to detect vulnerabilities and configuration errors by routine vulnerability scanning of systems and applications.	3	
T1021.002	SMB/Windows Admin Shares	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services	3	
T1021.002	SMB/Windows Admin Shares	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports, protocols, and/or services.	3	
T1021.002	SMB/Windows Admin Shares	See FDE for description.	Functional	Intersects With	Access Restriction For Change	CHG-04	Mechanisms exist to enforce configuration restrictions in an effort to restrict the ability of users to conduct unauthorized changes.	3	
T1021.002	SMB/Windows Admin Shares	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls Oversight	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive leadership.	3	
T1021.002	SMB/Windows Admin Shares	See FDE for description.	Functional	Intersects With	Separation of Duties (SoD)	HRS-11	Mechanisms exist to implement and maintain Separation of Duties (SoD) to prevent potential inappropriate activity without collusion.	3	
T1021.002	SMB/Windows Admin Shares	See FDE for description.	Functional	Intersects With	Identification & Authentication for	IAC-02	Mechanisms exist to uniquely identify and centrally Authenticate, Authorize and Audit (AAA) organizational users and processes acting on	3	
T1021.002	SMB/Windows Admin Shares	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types; (2) Define prohibited system account types; and (3) Proactively govern individual, group, system, service, application,	3	
T1021.002	SMB/Windows Admin Shares	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1021.002	SMB/Windows Admin Shares	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned	3	
T1021.002	SMB/Windows Admin Shares	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1021.002	SMB/Windows Admin Shares	See FDE for description.	Functional	Intersects With	Boundary Protection	NET-03	Mechanisms exist to monitor and control communications at the external network boundary and at key internal boundaries within the network.	3	
T1021.002	SMB/Windows Admin Shares	See FDE for description.	Functional	Intersects With	Data Flow Enforcement - Access Control Lists (ACLs)	NET-04	Mechanisms exist to implement and govern Access Control Lists (ACLs) to provide data flow enforcement that explicitly restrict network traffic to only what is authorized.	3	
T1021.002	SMB/Windows Admin Shares	See FDE for description.	Functional	Intersects With	Remote Access	NET-14	Mechanisms exist to define, control and review organization-approved, secure remote access methods.	3	
T1021.002	SMB/Windows Admin Shares	See FDE for description.	Functional	Intersects With	Information Output Filtering	SEA-09	Mechanisms exist to validate information output from software programs and/or applications to ensure that the information is	3	
T1021.002	SMB/Windows Admin Shares	See FDE for description.	Functional	Intersects With	Input Data Validation	TDA-18	Mechanisms exist to check the validity of information inputs.	3	
T1021.003	Distributed Component Object Model	See FDE for description.	Functional	Intersects With	Asset Inventories	AST-02	Mechanisms exist to perform inventories of Technology Assets, Applications, Services and/or Data (TAASD) that: (1) Accurately reflects the current TAASD in use;	3	
T1021.003	Distributed Component Object Model	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening	3	
T1021.003	Distributed Component Object Model	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports,	3	
T1021.003	Distributed Component Object Model	See FDE for description.	Functional	Intersects With	Access Restriction For Change	CHG-04	Mechanisms exist to enforce configuration restrictions in an effort to restrict the ability of users to conduct unauthorized changes.	3	
T1021.003	Distributed Component Object Model	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize anti-malware technologies to detect and eradicate malicious code.	3	
T1021.003	Distributed Component Object Model	See FDE for description.	Functional	Intersects With	Mobile Code	END-10	Mechanisms exist to address mobile code / operating system-independent applications.	3	
T1021.003	Distributed Component Object Model	See FDE for description.	Functional	Intersects With	Separation of Duties (SoD)	HRS-11	Mechanisms exist to implement and maintain Separation of Duties (SoD) to prevent potential inappropriate activity without collusion.	3	
T1021.003	Distributed Component Object Model	See FDE for description.	Functional	Intersects With	Identification & Authentication for	IAC-02	Mechanisms exist to uniquely identify and centrally Authenticate, Authorize and Audit (AAA) organizational users and processes acting on	3	
T1021.003	Distributed Component Object Model	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types; (2) Define prohibited system account types; and	3	
T1021.003	Distributed Component Object Model	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1021.003	Distributed Component Object Model	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned tasks in accordance with organizational business functions.	3	
T1021.003	Distributed Component Object Model	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1021.003	Distributed Component Object Model	See FDE for description.	Functional	Intersects With	Cross Domain Solution (CDS)	NET-02.3	Mechanisms exist to implement a Cross Domain Solution (CDS) to mitigate the specific security risks of accessing or transferring	3	

NIST IR 8477-Based Set Theory Relationship Mapping (STRM)

Reference Document: Secure Controls Framework (SCF) version 2026.2

STRM Guidance: <https://securecontrolsframework.com/start-here/set-theory-relationship-mapping-strm/>

Focal Document: MITRE Adversarial Tactics, Techniques, and Common Knowledge (ATT&CK) - NIST 800 - 53 mappings

Focal Document URL: <https://center-for-threat-informed-defense.github.io/mappings-explorer/external/nist/>
Published STRM URL: <https://content.securecontrolsframework.com/strm/scf-strm-general-mitre-att-ck-16-1.pdf>

FDE #	FDE Name	Focal Document Element (FDE) Description	STRM Rationale	STRM Relationship	SCF Control	SCF #	Secure Controls Framework (SCF) Control Description	Strength of Relationship	Notes
T1021.003	Distributed Component Object Model	See FDE for description.	Functional	Intersects With	Boundary Protection	NET-03	Mechanisms exist to monitor and control communications at the external network boundary and at key internal boundaries within the network.	3	
T1021.003	Distributed Component Object Model	See FDE for description.	Functional	Intersects With	Data Flow Enforcement - Access Control Lists	NET-04	Mechanisms exist to implement and govern Access Control Lists (ACLs) to provide data flow enforcement that explicitly restrict network communications.	3	
T1021.003	Distributed Component Object Model	See FDE for description.	Functional	Intersects With	Remote Access	NET-14	Mechanisms exist to define, control and review organization-approved, secure remote access methods.	3	
T1021.003	Distributed Component Object Model	See FDE for description.	Functional	Intersects With	Security Function Isolation	SEA-04.1	Mechanisms exist to isolate security functions from non-security functions.	3	
T1021.003	Distributed Component Object Model	See FDE for description.	Functional	Intersects With	Vulnerability Scanning	VPM-06	Mechanisms exist to detect vulnerabilities and configuration errors by routine vulnerability scanning of systems and applications.	3	
T1021.004	SSH	See FDE for description.	Functional	Intersects With	Asset Inventories	AST-02	Mechanisms exist to perform inventories of Technology Assets, Applications, Services and/or Data (TAASD) that: (1) Accurately reflects the current TAASD in use;	3	
T1021.004	SSH	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services	3	
T1021.004	SSH	See FDE for description.	Functional	Intersects With	Access Restriction For Change	CHG-04	Mechanisms exist to enforce configuration restrictions in an effort to restrict the ability of users to conduct unauthorized changes.	3	
T1021.004	SSH	See FDE for description.	Functional	Intersects With	Use of External Technology Assets, Applications and/or Services (TAAS)	DCH-13	Mechanisms exist to govern how external parties, including Technology Assets, Applications and/or Services (TAAS), are used to securely store, process and transmit data.	3	
T1021.004	SSH	See FDE for description.	Functional	Intersects With	Separation of Duties (SoD)	HRS-11	Mechanisms exist to implement and maintain Separation of Duties (SoD) to prevent potential inappropriate activity without collusion.	3	
T1021.004	SSH	See FDE for description.	Functional	Intersects With	Identification & Authentication for Organizational Users	IAC-02	Mechanisms exist to uniquely identify and centrally Authenticate, Authorize and Audit (AAA) organizational users and processes acting on behalf of organizational users.	3	
T1021.004	SSH	See FDE for description.	Functional	Intersects With	Authenticator Management	IAC-10	Mechanisms exist to: (1) Securely manage authenticators for users and devices; and	3	
T1021.004	SSH	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types; and (2) Define prohibited system account types; and	3	
T1021.004	SSH	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1021.004	SSH	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned tasks in accordance with organizational business functions.	3	
T1021.004	SSH	See FDE for description.	Functional	Intersects With	Account Lockout	IAC-22	Mechanisms exist to enforce a limit for consecutive invalid login attempts by a user during an organization-defined time period and automatically locks the account when the maximum number of	3	
T1021.004	SSH	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1021.004	SSH	See FDE for description.	Functional	Intersects With	Remote Access	NET-14	Mechanisms exist to define, control and review organization-approved, secure remote access methods.	3	
T1021.004	SSH	See FDE for description.	Functional	Intersects With	Vulnerability Scanning	VPM-06	Mechanisms exist to detect vulnerabilities and configuration errors by routine vulnerability scanning of systems and applications.	3	
T1021.005	VNC	See FDE for description.	Functional	Intersects With	Asset Inventories	AST-02	Mechanisms exist to perform inventories of Technology Assets, Applications, Services and/or Data (TAASD) that:	3	
T1021.005	VNC	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening	3	
T1021.005	VNC	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports, protocols, and/or services.	3	
T1021.005	VNC	See FDE for description.	Functional	Intersects With	User-Installed Software	CFG-05	Mechanisms exist to restrict the ability of non-privileged users to install unauthorized software.	3	
T1021.005	VNC	See FDE for description.	Functional	Intersects With	Configuration Change Control	CHG-02	Mechanisms exist to govern the technical configuration change control processes.	3	
T1021.005	VNC	See FDE for description.	Functional	Intersects With	Access Restriction For Change	CHG-04	Mechanisms exist to enforce configuration restrictions in an effort to restrict the ability of users to conduct unauthorized changes.	3	
T1021.005	VNC	See FDE for description.	Functional	Intersects With	Security Compliance & Resilience Controls	CPL-02	Mechanisms exist to procure a security compliance or resilience controls oversight function that reports to the organization's executive	3	
T1021.005	VNC	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize anti-malware technologies to detect and eradicate malicious code.	3	
T1021.005	VNC	See FDE for description.	Functional	Intersects With	Identification & Authentication for Organizational Users	IAC-02	Mechanisms exist to uniquely identify and centrally Authenticate, Authorize and Audit (AAA) organizational users and processes acting on behalf of organizational users.	3	
T1021.005	VNC	See FDE for description.	Functional	Intersects With	Identifier Management (User Names)	IAC-09	Mechanisms exist to govern naming standards for usernames and Technology Assets, Applications and/or Services (TAAS).	3	
T1021.005	VNC	See FDE for description.	Functional	Intersects With	Authenticator Feedback	IAC-11	Mechanisms exist to secure the feedback or authentication information during the authentication process to protect the	3	
T1021.005	VNC	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types; and (2) Define prohibited system account types; and	3	
T1021.005	VNC	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1021.005	VNC	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned tasks in accordance with organizational business functions.	3	
T1021.005	VNC	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1021.005	VNC	See FDE for description.	Functional	Intersects With	Boundary Protection	NET-03	Mechanisms exist to monitor and control communications at the external network boundary and at key internal boundaries within the network.	3	
T1021.005	VNC	See FDE for description.	Functional	Intersects With	Data Flow Enforcement - Access Control Lists	NET-04	Mechanisms exist to implement and govern Access Control Lists (ACLs) to provide data flow enforcement that explicitly restrict network	3	

NIST IR 8477-Based Set Theory Relationship Mapping (STRM)

Reference Document: Secure Controls Framework (SCF) version 2026.2

STRM Guidance: <https://securecontrolsframework.com/start-here/set-theory-relationship-mapping-strm/>

Focal Document: MITRE Adversarial Tactics, Techniques, and Common Knowledge (ATT&CK) - NIST 800 - 53 mappings

Focal Document URL: <https://center-for-threat-informed-defense.github.io/mappings-explorer/external/mitre/>

Published STRM URL: https://content.securecontrolsframework.com/strm/scf-strm-general-mitre-att_ck-16-1.pdf

FDE #	FDE Name	Focal Document Element (FDE) Description	STRM Rationale	STRM Relationship	SCF Control	SCF #	Secure Controls Framework (SCF) Control Description	Strength of Relationship	Notes
T1021.005	VNC	See FDE for description.	Functional	Intersects With	Remote Access	NET-14	Mechanisms exist to define, control and review organization-approved, secure remote access methods.	3	
T1021.005	VNC	See FDE for description.	Functional	Intersects With	Information Output Filtering	SEA-09	Mechanisms exist to validate information output from software programs and/or applications to ensure that the information is consistent with the expected content.	3	
T1021.005	VNC	See FDE for description.	Functional	Intersects With	Input Data Validation	TDA-18	Mechanisms exist to check the validity of information inputs.	3	
T1021.005	VNC	See FDE for description.	Functional	Intersects With	Vulnerability Scanning	VPM-06	Mechanisms exist to detect vulnerabilities and configuration errors by routine vulnerability scanning of systems and applications.	3	
T1021.006	Windows Remote Management	See FDE for description.	Functional	Intersects With	Asset Inventories	AST-02	Mechanisms exist to perform inventories of Technology Assets, Applications, Services and/or Data (TAASD) that:	3	
T1021.006	Windows Remote Management	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	3	
T1021.006	Windows Remote Management	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports, protocols, and/or services.	3	
T1021.006	Windows Remote Management	See FDE for description.	Functional	Intersects With	Access Restriction For Change	CHG-04	Mechanisms exist to enforce configuration restrictions in an effort to restrict the ability of users to conduct unauthorized changes.	3	
T1021.006	Windows Remote Management	See FDE for description.	Functional	Intersects With	Separation of Duties (SoD)	HRS-11	Mechanisms exist to implement and maintain Separation of Duties (SoD) to prevent potential inappropriate activity without collusion.	3	
T1021.006	Windows Remote Management	See FDE for description.	Functional	Intersects With	Identification & Authentication for Organizational Users	IAC-02	Mechanisms exist to uniquely identify and centrally Authenticate, Authorize and Audit (AAA) organizational users and processes acting on behalf of organizational users.	3	
T1021.006	Windows Remote Management	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types;	3	
T1021.006	Windows Remote Management	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1021.006	Windows Remote Management	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned	3	
T1021.006	Windows Remote Management	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1021.006	Windows Remote Management	See FDE for description.	Functional	Intersects With	Cross Domain Solution (CDS)	NET-02.3	Mechanisms exist to implement a Cross Domain Solution (CDS) to mitigate the specific security risks of accessing or transferring information between security domains.	3	
T1021.006	Windows Remote Management	See FDE for description.	Functional	Intersects With	Boundary Protection	NET-03	Mechanisms exist to monitor and control communications at the external network boundary and at key internal boundaries within the network.	3	
T1021.006	Windows Remote Management	See FDE for description.	Functional	Intersects With	Data Flow Enforcement - Access Control Lists	NET-04	Mechanisms exist to implement and govern Access Control Lists (ACLs) to provide data flow enforcement that explicitly restrict network	3	
T1021.006	Windows Remote Management	See FDE for description.	Functional	Intersects With	Remote Access	NET-14	Mechanisms exist to define, control and review organization-approved, secure remote access methods.	3	
T1021.006	Windows Remote Management	See FDE for description.	Functional	Intersects With	Vulnerability Scanning	VPM-06	Mechanisms exist to detect vulnerabilities and configuration errors by routine vulnerability scanning of systems and applications.	3	
T1021.007	Cloud Services	See FDE for description.	Functional	Intersects With	Use of External Technology Assets, Applications and/or Services (TAAS)	DCH-13	Mechanisms exist to govern how external parties, including Technology Assets, Applications and/or Services (TAAS), are used to securely store, process and transmit data.	3	
T1021.007	Cloud Services	See FDE for description.	Functional	Intersects With	Separation of Duties (SoD)	HRS-11	Mechanisms exist to implement and maintain Separation of Duties (SoD) to prevent potential inappropriate activity without collusion.	3	
T1021.007	Cloud Services	See FDE for description.	Functional	Intersects With	Identification & Authentication for Organizational Users	IAC-02	Mechanisms exist to uniquely identify and centrally Authenticate, Authorize and Audit (AAA) organizational users and processes acting on behalf of organizational users.	3	
T1021.007	Cloud Services	See FDE for description.	Functional	Intersects With	Authenticator Management	IAC-10	Mechanisms exist to: (1) Securely manage authenticators for users and devices; and (2) Ensure the strength of authentication is appropriate to the risk of the information being accessed.	3	
T1021.007	Cloud Services	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types; (2) Define prohibited system account types; and (3) Define the process for the creation, modification, and deletion of system accounts.	3	
T1021.007	Cloud Services	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1021.007	Cloud Services	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned tasks in accordance with organizational business functions.	3	
T1021.008	Direct Cloud VM Connections	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	3	
T1021.008	Direct Cloud VM Connections	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports, protocols, and/or services.	3	
T1021.008	Direct Cloud VM Connections	See FDE for description.	Functional	Intersects With	Access Restriction For Change	CHG-04	Mechanisms exist to enforce configuration restrictions in an effort to restrict the ability of users to conduct unauthorized changes.	3	
T1021.008	Direct Cloud VM Connections	See FDE for description.	Functional	Intersects With	Use of External Technology Assets, Applications and/or Services (TAAS)	DCH-13	Mechanisms exist to govern how external parties, including Technology Assets, Applications and/or Services (TAAS), are used to securely store, process and transmit data.	3	
T1021.008	Direct Cloud VM Connections	See FDE for description.	Functional	Intersects With	Identification & Authentication for Organizational Users	IAC-02	Mechanisms exist to uniquely identify and centrally Authenticate, Authorize and Audit (AAA) organizational users and processes acting on behalf of organizational users.	3	
T1021.008	Direct Cloud VM Connections	See FDE for description.	Functional	Intersects With	Authenticator Management	IAC-10	Mechanisms exist to: (1) Securely manage authenticators for users and devices; and (2) Ensure the strength of authentication is appropriate to the risk of the information being accessed.	3	
T1021.008	Direct Cloud VM Connections	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types;	3	
T1021.008	Direct Cloud VM Connections	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1021.008	Direct Cloud VM Connections	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned tasks in accordance with organizational business functions.	3	

NIST IR 8477-Based Set Theory Relationship Mapping (STRM)

Reference Document: Secure Controls Framework (SCF) version 2026.2

STRM Guidance: <https://securecontrolsframework.com/start-here/set-theory-relationship-mapping-strm/>

Focal Document: MITRE Adversarial Tactics, Techniques, and Common Knowledge (ATT&CK) - NIST 800 - 53 mappings

Focal Document URL: <https://center-for-threat-informed-defense.github.io/mappings-explorer/external/nist/>

Published STRM URL: <https://content.securecontrolsframework.com/strm/scf-strm-general-mitre-att-ck-16-1.pdf>

FDE #	FDE Name	Focal Document Element (FDE) Description	STRM Rationale	STRM Relationship	SCF Control	SCF #	Secure Controls Framework (SCF) Control Description	Strength of Relationship	Notes
T1021.008	Direct Cloud VM Connections	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1021.008	Direct Cloud VM Connections	See FDE for description.	Functional	Intersects With	Remote Access	NET-14	Mechanisms exist to define, control and review organization-approved, secure remote access methods.	3	
T1025	Data from Removable Media	See FDE for description.	Functional	Intersects With	Data Backups	BCD-11	Mechanisms exist to create recurring backups of data, software and/or system images, as well as verify the integrity of these backups, to ensure the availability of the data to satisfy Recovery Time Objectives (RTOs) and Recovery Point Objectives (RPOs).	3	
T1025	Data from Removable Media	See FDE for description.	Functional	Intersects With	Use of Cryptographic Controls	CRY-01	Mechanisms exist to implement the implementation of cryptographic protections controls using known public standards and trusted cryptographic algorithms.	3	
T1025	Data from Removable Media	See FDE for description.	Functional	Intersects With	Encrypting Data At Rest	CRY-05	Cryptographic mechanisms exist to prevent unauthorized disclosure of data at rest.	3	
T1025	Data from Removable Media	See FDE for description.	Functional	Intersects With	Cybersecurity & Data Protection Attributes	DCH-05	Mechanisms exist to bind cybersecurity and data protection attributes to information as it is stored, transmitted and processed.	3	
T1025	Data from Removable Media	See FDE for description.	Functional	Intersects With	Media Use	DCH-10	Mechanisms exist to restrict the use of types of digital media on systems or system components.	3	
T1025	Data from Removable Media	See FDE for description.	Functional	Intersects With	Data Mining Protection	DCH-16	Mechanisms exist to protect data storage objects against unauthorized data mining and data harvesting techniques.	3	
T1025	Data from Removable Media	See FDE for description.	Functional	Intersects With	Information Location	DCH-24	Mechanisms exist to identify and document the location of information and the specific system components on which the information resides.	3	
T1025	Data from Removable Media	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antimalware technologies to detect and eradicate malicious code.	3	
T1025	Data from Removable Media	See FDE for description.	Functional	Intersects With	Port & Input / Output (I/O) Device Access	END-12	Mechanisms exist to physically disable or remove unnecessary connection ports or input/output devices from sensitive systems.	3	
T1025	Data from Removable Media	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types; (2) Define prohibited system account types; and (3) Enforce system account types.	3	
T1025	Data from Removable Media	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1025	Data from Removable Media	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned tasks in accordance with organizational business functions.	3	
T1025	Data from Removable Media	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1025	Data from Removable Media	See FDE for description.	Functional	Intersects With	Operations Security	OPS-01	Mechanisms exist to facilitate the implementation of operational security controls.	3	
T1025	Data from Removable Media	See FDE for description.	Functional	Intersects With	Secure Engineering Principles	SEA-01	Mechanisms exist to facilitate the implementation of industry-recognized security, compliance and resilience practices in the specification, design, development, implementation and modification of Technology Assets, Applications and/or Services (TAAS).	3	
T1027	Obfuscated Files or Information	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening capabilities by specifically prohibiting or restricting the use of ports, protocols, services, and other system components.	3	
T1027	Obfuscated Files or Information	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports, protocols, services, and other system components.	3	
T1027	Obfuscated Files or Information	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antimalware technologies to detect and eradicate malicious code.	3	
T1027	Obfuscated Files or Information	See FDE for description.	Functional	Intersects With	Endpoint File Integrity Monitoring (FIM)	END-06	Mechanisms exist to utilize File Integrity Monitor (FIM), or similar technologies, to detect and report on unauthorized changes to selected files and configuration settings.	3	
T1027	Obfuscated Files or Information	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1027	Obfuscated Files or Information	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1027	Obfuscated Files or Information	See FDE for description.	Functional	Intersects With	Software & Firmware Patching	VPM-05	Mechanisms exist to conduct software patching for all deployed Technology Assets, Applications and/or Services (TAAS), including firmware.	3	
T1027.002	Software Packing	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antimalware technologies to detect and eradicate malicious code.	3	
T1027.002	Software Packing	See FDE for description.	Functional	Intersects With	Endpoint File Integrity Monitoring (FIM)	END-06	Mechanisms exist to utilize File Integrity Monitor (FIM), or similar technologies, to detect and report on unauthorized changes to selected files and configuration settings.	3	
T1027.002	Software Packing	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1027.002	Software Packing	See FDE for description.	Functional	Intersects With	Software & Firmware Patching	VPM-05	Mechanisms exist to conduct software patching for all deployed Technology Assets, Applications and/or Services (TAAS), including firmware.	3	
T1027.007	Dynamic API Resolution	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antimalware technologies to detect and eradicate malicious code.	3	
T1027.007	Dynamic API Resolution	See FDE for description.	Functional	Intersects With	Endpoint File Integrity Monitoring (FIM)	END-06	Mechanisms exist to utilize File Integrity Monitor (FIM), or similar technologies, to detect and report on unauthorized changes to selected files and configuration settings.	3	
T1027.007	Dynamic API Resolution	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1027.007	Dynamic API Resolution	See FDE for description.	Functional	Intersects With	Software & Firmware Patching	VPM-05	Mechanisms exist to conduct software patching for all deployed Technology Assets, Applications and/or Services (TAAS), including firmware.	3	
T1027.008	Stripped Payloads	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antimalware technologies to detect and eradicate malicious code.	3	
T1027.008	Stripped Payloads	See FDE for description.	Functional	Intersects With	Endpoint File Integrity Monitoring (FIM)	END-06	Mechanisms exist to utilize File Integrity Monitor (FIM), or similar technologies, to detect and report on unauthorized changes to selected files and configuration settings.	3	
T1027.008	Stripped Payloads	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1027.008	Stripped Payloads	See FDE for description.	Functional	Intersects With	Software & Firmware Patching	VPM-05	Mechanisms exist to conduct software patching for all deployed Technology Assets, Applications and/or Services (TAAS), including firmware.	3	
T1027.009	Embedded Payloads	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antimalware technologies to detect and eradicate malicious code.	3	
T1027.009	Embedded Payloads	See FDE for description.	Functional	Intersects With	Endpoint File Integrity Monitoring (FIM)	END-06	Mechanisms exist to utilize File Integrity Monitor (FIM), or similar technologies, to detect and report on unauthorized changes to selected files and configuration settings.	3	
T1027.009	Embedded Payloads	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1027.009	Embedded Payloads	See FDE for description.	Functional	Intersects With	Software & Firmware Patching	VPM-05	Mechanisms exist to conduct software patching for all deployed Technology Assets, Applications and/or Services (TAAS), including firmware.	3	
T1027.010	Command Obfuscation	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening capabilities by specifically prohibiting or restricting the use of ports, protocols, services, and other system components.	3	
T1027.010	Command Obfuscation	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antimalware technologies to detect and eradicate malicious code.	3	
T1027.010	Command Obfuscation	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	

NIST IR 8477-Based Set Theory Relationship Mapping (STRM)

Reference Document: Secure Controls Framework (SCF) version 2026.2

STRM Guidance: <https://securecontrolsframework.com/start-here/set-theory-relationship-mapping-strm/>

Focal Document: MITRE Adversarial Tactics, Techniques, and Common Knowledge (ATT&CK) - NIST 800 - 53 mappings

Focal Document URL: <https://center-for-threat-informed-defense.github.io/mappings-explorer/external/mitre/>

Published STRM URL: https://content.securecontrolsframework.com/strm/scf-strm-general-mitre-att_ck-16-1.pdf

FDE #	FDE Name	Focal Document Element (FDE) Description	STRM Rationale	STRM Relationship	SCF Control	SCF #	Secure Controls Framework (SCF) Control Description	Strength of Relationship	Notes
T1027.010	Command Obfuscation	See FDE for description.	Functional	Intersects With	Input Data Validation	TDA-18	Mechanisms exist to check the validity of information inputs.	3	
T1027.011	Fileless Storage	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1027.012	LNK Icon Smuggling	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize anti-malware technologies to detect and eradicate malicious code.	3	
T1027.012	LNK Icon Smuggling	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1027.013	Encrypted/Encoded File	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize anti-malware technologies to detect and eradicate malicious code.	3	
T1027.014	Polymorphic Code	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize anti-malware technologies to detect and eradicate malicious code.	3	
T1029	Scheduled Transfer	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	3	
T1029	Scheduled Transfer	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls Oversight	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive leadership.	3	
T1029	Scheduled Transfer	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize anti-malware technologies to detect and eradicate malicious code.	3	
T1029	Scheduled Transfer	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1029	Scheduled Transfer	See FDE for description.	Functional	Intersects With	Boundary Protection	NET-03	Mechanisms exist to monitor and control communications at the external network boundary and at key internal boundaries within the network.	3	
T1029	Scheduled Transfer	See FDE for description.	Functional	Intersects With	Data Flow Enforcement - Access Control Lists (ACLs)	NET-04	Mechanisms exist to implement and govern Access Control Lists (ACLs) to provide data flow enforcement that explicitly restrict network traffic to only what is authorized.	3	
T1030	Data Transfer Size Limits	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	3	
T1030	Data Transfer Size Limits	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls Oversight	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive leadership.	3	
T1030	Data Transfer Size Limits	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize anti-malware technologies to detect and eradicate malicious code.	3	
T1030	Data Transfer Size Limits	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1030	Data Transfer Size Limits	See FDE for description.	Functional	Intersects With	Boundary Protection	NET-03	Mechanisms exist to monitor and control communications at the external network boundary and at key internal boundaries within the network.	3	
T1030	Data Transfer Size Limits	See FDE for description.	Functional	Intersects With	Data Flow Enforcement - Access Control Lists (ACLs)	NET-04	Mechanisms exist to implement and govern Access Control Lists (ACLs) to provide data flow enforcement that explicitly restrict network traffic to only what is authorized.	3	
T1036	Masquerading	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	3	
T1036	Masquerading	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports, protocols, and/or services.	3	
T1036	Masquerading	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls Oversight	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive leadership.	3	
T1036	Masquerading	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize anti-malware technologies to detect and eradicate malicious code.	3	
T1036	Masquerading	See FDE for description.	Functional	Intersects With	Endpoint File Integrity Monitoring (FIM)	END-06	Mechanisms exist to utilize File Integrity Monitor (FIM), or similar technologies, to detect and report on unauthorized changes to selected files and configuration settings.	3	
T1036	Masquerading	See FDE for description.	Functional	Intersects With	Authentication for Third-Party Technology Assets, Applications and/or Services (TAAS)	IAC-05	Mechanisms exist to identify and authenticate third-party Technology Assets, Applications and/or Services (TAAS).	3	
T1036	Masquerading	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types; (2) Define prohibited system account types; and (3) Enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1036	Masquerading	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1036	Masquerading	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned tasks in accordance with organizational business functions.	3	
T1036	Masquerading	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1036	Masquerading	See FDE for description.	Functional	Intersects With	Input Data Validation	TDA-18	Mechanisms exist to check the validity of information inputs.	3	
T1036.001	Invalid Code Signature	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	3	
T1036.001	Invalid Code Signature	See FDE for description.	Functional	Intersects With	Endpoint File Integrity Monitoring (FIM)	END-06	Mechanisms exist to utilize File Integrity Monitor (FIM), or similar technologies, to detect and report on unauthorized changes to selected files and configuration settings.	3	
T1036.001	Invalid Code Signature	See FDE for description.	Functional	Intersects With	Authentication for Third-Party Technology Assets, Applications and/or Services (TAAS)	IAC-05	Mechanisms exist to identify and authenticate third-party Technology Assets, Applications and/or Services (TAAS).	3	
T1036.001	Invalid Code Signature	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1036.003	Rename System Utilities	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	3	
T1036.003	Rename System Utilities	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls Oversight	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive leadership.	3	
T1036.003	Rename System Utilities	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize anti-malware technologies to detect and eradicate malicious code.	3	
T1036.003	Rename System Utilities	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	(1) Define authorized system account types;	3	
T1036.003	Rename System Utilities	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1036.003	Rename System Utilities	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned tasks in accordance with organizational business functions.	3	
T1036.003	Rename System Utilities	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1036.005	Match Legitimate Name or Location	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	3	

NIST IR 8477-Based Set Theory Relationship Mapping (STRM)

Reference Document: Secure Controls Framework (SCF) version 2026.2

STRM Guidance: <https://securecontrolsframework.com/start-here/set-theory-relationship-mapping-strm/>

Focal Document: MITRE Adversarial Tactics, Techniques, and Common Knowledge (ATT&CK) - NIST 800 - 53 mappings

Focal Document URL: <https://center-for-threat-informed-defense.github.io/mappings-explorer/external/nist/>
Published STRM URL: https://content.securecontrolsframework.com/strm/scf-strm-general-mitre-att_ck-16-1.pdf

FDE #	FDE Name	Focal Document Element (FDE) Description	STRM Rationale	STRM Relationship	SCF Control	SCF #	Secure Controls Framework (SCF) Control Description	Strength of Relationship	Notes
T1036.005	Match Legitimate Name or Location	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports, protocols, and/or services.	3	
T1036.005	Match Legitimate Name or Location	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls Oversight	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive leadership.	3	
T1036.005	Match Legitimate Name or Location	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize anti-malware technologies to detect and eradicate malicious code.	3	
T1036.005	Match Legitimate Name or Location	See FDE for description.	Functional	Intersects With	Endpoint File Integrity Monitoring (FIM)	END-06	Mechanisms exist to utilize File Integrity Monitor (FIM), or similar technologies, to detect and report on unauthorized changes to selected files and configuration settings.	3	
T1036.005	Match Legitimate Name or Location	See FDE for description.	Functional	Intersects With	Identification & Authentication for Third-Party Technology Assets, Applications and/or Services	IAC-05	Mechanisms exist to identify and authenticate third-party Technology Assets, Applications and/or Services (TAAS).	3	
T1036.005	Match Legitimate Name or Location	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types; (2) Define prohibited system account types; and (3) Proactively govern individual, group, system, service, application,	3	
T1036.005	Match Legitimate Name or Location	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1036.005	Match Legitimate Name or Location	See FDE for description.	Functional	Intersects With	Least Privilege	IAC-21	Mechanisms exist to utilize the concept of least privilege, allowing only authorized access to processes necessary to accomplish assigned tasks in accordance with organizational business functions.	3	
T1036.005	Match Legitimate Name or Location	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1036.005	Match Legitimate Name or Location	See FDE for description.	Functional	Intersects With	Input Data Validation	TDA-18	Mechanisms exist to check the validity of information inputs.	3	
T1036.007	Double File Extension	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	3	
T1036.007	Double File Extension	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports, protocols, and/or services.	3	
T1036.007	Double File Extension	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls Oversight	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive leadership.	3	
T1036.007	Double File Extension	See FDE for description.	Functional	Intersects With	Identification & Authentication for Organizational Users	IAC-02	Mechanisms exist to uniquely identify and centrally Authenticate, Authorize and Audit (AAA) organizational users and processes acting on behalf of organizational users.	3	
T1036.007	Double File Extension	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1036.008	Masquerade File Type	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports, protocols, and/or services.	3	
T1036.008	Masquerade File Type	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize anti-malware technologies to detect and eradicate malicious code.	3	
T1036.008	Masquerade File Type	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1036.008	Masquerade File Type	See FDE for description.	Functional	Intersects With	Boundary Protection	NET-03	Mechanisms exist to monitor and control communications at the external network boundary and at key internal boundaries within the network.	3	
T1036.008	Masquerade File Type	See FDE for description.	Functional	Intersects With	Input Data Validation	TDA-18	Mechanisms exist to check the validity of information inputs.	3	
T1036.009	Break Process Trees	See FDE for description.	Functional	No Relationship	N/A	N/A	N/A	0	
T1036.010	Masquerade Account Name	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	3	
T1036.010	Masquerade Account Name	See FDE for description.	Functional	Intersects With	Identification & Authentication for Organizational Users	IAC-02	Mechanisms exist to uniquely identify and centrally Authenticate, Authorize and Audit (AAA) organizational users and processes acting on behalf of organizational users.	3	
T1036.010	Masquerade Account Name	See FDE for description.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types; (2) Define prohibited system account types; and (3) Proactively govern individual, group, system, service, application,	3	
T1036.010	Masquerade Account Name	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1036.010	Masquerade Account Name	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1037	Boot or Logon Initialization Scripts	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	3	
T1037	Boot or Logon Initialization Scripts	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports, protocols, and/or services.	3	
T1037	Boot or Logon Initialization Scripts	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls Oversight	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive leadership.	3	
T1037	Boot or Logon Initialization Scripts	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize anti-malware technologies to detect and eradicate malicious code.	3	
T1037	Boot or Logon Initialization Scripts	See FDE for description.	Functional	Intersects With	Endpoint File Integrity Monitoring (FIM)	END-06	Mechanisms exist to utilize File Integrity Monitor (FIM), or similar technologies, to detect and report on unauthorized changes to selected files and configuration settings.	3	
T1037	Boot or Logon Initialization Scripts	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1037	Boot or Logon Initialization Scripts	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1037	Boot or Logon Initialization Scripts	See FDE for description.	Functional	Intersects With	Remote Access	NET-14	Mechanisms exist to define, control and review organization-approved, secure remote access methods.	3	
T1037.001	Logon Script (Windows)	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports, protocols, and/or services.	3	
T1037.001	Logon Script (Windows)	See FDE for description.	Functional	Intersects With	Remote Access	NET-14	Mechanisms exist to define, control and review organization-approved, secure remote access methods.	3	
T1037.002	Login Hook	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	3	

NIST IR 8477-Based Set Theory Relationship Mapping (STRM)

Reference Document: Secure Controls Framework (SCF) version 2026.2

STRM Guidance: <https://securecontrolsframework.com/start-here/set-theory-relationship-mapping-strm/>

Focal Document: **MITRE Adversarial Tactics, Techniques, and Common Knowledge (ATT&CK) - NIST 800 - 53 mappings**

Focal Document URL: <https://center-for-threat-informed-defense.github.io/mappings-explorer/external/nist/>

Published STRM URL: https://content.securecontrolsframework.com/strm/scf-strm-general-mitre-att_ck-16-1.pdf

FDE #	FDE Name	Focal Document Element (FDE) Description	STRM Rationale	STRM Relationship	SCF Control	SCF #	Secure Controls Framework (SCF) Control Description	Strength of Relationship	Notes
T1037.002	Login Hook	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls Oversight	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive leadership.	3	
T1037.002	Login Hook	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize anti-malware technologies to detect and eradicate malicious code.	3	
T1037.002	Login Hook	See FDE for description.	Functional	Intersects With	Endpoint File Integrity Monitoring (FIM)	END-06	Mechanisms exist to utilize File Integrity Monitor (FIM), or similar technologies, to detect and report on unauthorized changes to selected files and configuration settings.	3	
T1037.002	Login Hook	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1037.002	Login Hook	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1037.003	Network Logon Script	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS).	3	
T1037.003	Network Logon Script	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls Oversight	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive leadership.	3	
T1037.003	Network Logon Script	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize anti-malware technologies to detect and eradicate malicious code.	3	
T1037.003	Network Logon Script	See FDE for description.	Functional	Intersects With	Endpoint File Integrity Monitoring (FIM)	END-06	Mechanisms exist to utilize File Integrity Monitor (FIM), or similar technologies, to detect and report on unauthorized changes to selected files and configuration settings.	3	
T1037.003	Network Logon Script	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1037.003	Network Logon Script	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1037.004	RC Scripts	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS).	3	
T1037.004	RC Scripts	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls Oversight	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive leadership.	3	
T1037.004	RC Scripts	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize anti-malware technologies to detect and eradicate malicious code.	3	
T1037.004	RC Scripts	See FDE for description.	Functional	Intersects With	Endpoint File Integrity Monitoring (FIM)	END-06	Mechanisms exist to utilize File Integrity Monitor (FIM), or similar technologies, to detect and report on unauthorized changes to selected files and configuration settings.	3	
T1037.004	RC Scripts	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1037.004	RC Scripts	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1037.005	Startup Items	See FDE for description.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS).	3	
T1037.005	Startup Items	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls Oversight	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive leadership.	3	
T1037.005	Startup Items	See FDE for description.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize anti-malware technologies to detect and eradicate malicious code.	3	
T1037.005	Startup Items	See FDE for description.	Functional	Intersects With	Endpoint File Integrity Monitoring (FIM)	END-06	Mechanisms exist to utilize File Integrity Monitor (FIM), or similar technologies, to detect and report on unauthorized changes to selected files and configuration settings.	3	
T1037.005	Startup Items	See FDE for description.	Functional	Intersects With	Access Enforcement	IAC-20	Mechanisms exist to enforce Logical Access Control (LAC) permissions that conform to the principle of "least privilege."	3	
T1037.005	Startup Items	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1040	Network Sniffing	See FDE for description.	Functional	Intersects With	Least Functionality	CFG-03	Mechanisms exist to configure systems to provide only essential capabilities by specifically prohibiting or restricting the use of ports, protocols, and/or services.	3	
T1040	Network Sniffing	See FDE for description.	Functional	Intersects With	Transmission Confidentiality	CRY-03	Cryptographic mechanisms exist to protect the confidentiality of data being transmitted.	3	
T1040	Network Sniffing	See FDE for description.	Functional	Intersects With	Transmission Integrity	CRY-04	Cryptographic mechanisms exist to protect the integrity of data being transmitted.	3	
T1040	Network Sniffing	See FDE for description.	Functional	Intersects With	Cybersecurity & Data Protection Attributes	DCH-05	Mechanisms exist to bind cybersecurity and data protection attributes to information as it is stored, transmitted and processed.	3	
T1040	Network Sniffing	See FDE for description.	Functional	Intersects With	Media & Data Retention	DCH-18	Mechanisms exist to retain media and data in accordance with applicable statutory, regulatory and contractual obligations.	3	
T1040	Network Sniffing	See FDE for description.	Functional	Intersects With	Endpoint File Integrity Monitoring (FIM)	END-06	Mechanisms exist to utilize File Integrity Monitor (FIM), or similar technologies, to detect and report on unauthorized changes to selected files and configuration settings.	3	
T1040	Network Sniffing	See FDE for description.	Functional	Intersects With	Authentication for Information Systems	IAC-02	Mechanisms exist to uniquely identify and centrally Authenticate, Authorize and Audit (AAA) organizational users and processes acting on behalf of the organization.	3	
T1040	Network Sniffing	See FDE for description.	Functional	Intersects With	Authenticator Management	IAC-10	Mechanisms exist to: (1) Securely manage authenticators for users and devices; and	3	
T1040	Network Sniffing	See FDE for description.	Functional	Intersects With	Access Control For Mobile Devices	MDM-02	Mechanisms exist to enforce access control requirements for the connection of mobile devices to organizational Technology Assets.	3	
T1040	Network Sniffing	See FDE for description.	Functional	Intersects With	Continuous Monitoring	MON-01	Mechanisms exist to facilitate the implementation of enterprise-wide monitoring controls.	3	
T1040	Network Sniffing	See FDE for description.	Functional	Intersects With	Remote Access	NET-14	Mechanisms exist to define, control and review organization-approved, secure remote access methods.	3	
T1040	Network Sniffing	See FDE for description.	Functional	Intersects With	Wireless Networking	NET-15	Mechanisms exist to control authorized wireless usage and monitor for unauthorized wireless access.	3	
T1040	Network Sniffing	See FDE for description.	Functional	Intersects With	Information In Shared Resources	SEA-05	Mechanisms exist to prevent unauthorized and unintended information transfer via shared system resources.	3	
T1041	Exfiltration Over C2 Channel	See FDE for description.	Functional	Intersects With	Provenance	AST-03.2	Mechanisms exist to track the origin, development, ownership, location and changes to Technology Assets, Applications, Services and/or Data (TAASD).	3	
T1041	Exfiltration Over C2 Channel	See FDE for description.	Functional	Intersects With	Security, Compliance & Resilience Controls Oversight	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive leadership.	3	
T1041	Exfiltration Over C2 Channel	See FDE for description.	Functional	Intersects With	Use of Cryptographic Controls	CRY-01	Mechanisms exist to facilitate the implementation of cryptographic protections controls using known public standards and trusted cryptographic technologies.	3	
T1041	Exfiltration Over C2 Channel	See FDE for description.	Functional	Intersects With	Encrypting Data At Rest	CRY-05	Cryptographic mechanisms exist to prevent unauthorized disclosure of data at rest.	3	
T1041	Exfiltration Over C2 Channel	See FDE for description.	Functional	Intersects With	Cybersecurity & Data Protection Attributes	DCH-05	Mechanisms exist to bind cybersecurity and data protection attributes to information as it is stored, transmitted and processed.	3	